

CLAIMS

WHAT IS CLAIMED IS:

- 5 1. A method comprising:
 presenting a plurality of windows on an output device;
 selecting a subset of the plurality of windows; and
 sending the subset to an auxiliary output device.
- 10 2. The method of claim 1, wherein the auxiliary output device comprises a projector.
3. The method of claim 1, wherein the selecting further comprises:
 selecting the subset based on group affiliations of the plurality of windows.
- 15 4. The method of claim 1, wherein the selecting further comprises:
 selecting the subset based on a list of allowed applications.
5. The method of claim 1, wherein the selecting further comprises:
 selecting the subset based on a list of disallowed applications.
- 20 6. The method of claim 1, wherein the selecting further comprises:
 detecting that an application has launched; and
 determining whether the application belongs to a group.
- 25 7. The method of claim 1, wherein the selecting further comprises:
 detecting that an application has been brought into focus; and
 determining whether the application belongs to a group.
8. The method of claim 1, further comprising:

changing the subset that is sent to the auxiliary output device.

9. An apparatus comprising:

- means for presenting a plurality of windows on an output device;
- 5 means for selecting a subset of the plurality of windows;
- means for sending the subset to an auxiliary output device; and
- means for refraining from sending windows not in the subset to the auxiliary output device.

10 10. The apparatus of claim 9, wherein the auxiliary output device comprises a projector.

11. The apparatus of claim 9, wherein the means for selecting further comprises:

- means for selecting the subset based on group affiliations of the plurality of windows.

15

12. The apparatus of claim 11, further comprising:

- means for displaying the group affiliations in the respective windows.

13. The apparatus of claim 9, wherein the means for selecting further comprises:

- 20 means for detecting that an application has launched; and
- means for determining whether the application belongs to a group.

14. The apparatus of claim 9, wherein the means for selecting further comprises:

- means for detecting that an application has been brought into focus; and
- 25 means for determining whether the application belongs to a hidden group.

15. A signal-bearing medium encoded with instructions, wherein the instructions when executed comprise:

- sending an image to both an output device and an auxiliary output device; and

changing the image on the output device to a new image while freezing the image on the auxiliary output device.

16. The signal-bearing medium of claim 15, wherein the auxiliary output device
5 comprises a projector.

17. The signal-bearing medium of claim 15, further comprising:
unfreezing the image on the auxiliary output device.

10 18. The signal-bearing medium of claim 15, wherein the freezing the image further comprises:
re-transmitting the image to the auxiliary output device.

15 19. The signal-bearing medium of claim 15, wherein the freezing the image further comprises:
transmitting a pre-set image to the auxiliary output device.

20 20. The signal-bearing medium of claim 17, wherein the unfreezing the image further comprises:
sending the new image to the auxiliary output device.

21. An electronic device comprising:
a processor; and
a storage device encoded with instructions, wherein the instructions when
25 executed on the processor comprise:
displaying a plurality of windows on an output device, wherein at least
some of the plurality of windows overlap, and
displaying the plurality of windows on an auxiliary output device in a non-
overlapping format.

22. The electronic device of claim 21, wherein the windows that overlap include data in a scrollable format and the windows in the non-overlapping format include the data in a non-scrollable format.

5